

GAY-LIB GENDER IDEOLOGY HARMS CHILDREN

In a statement issued on the 21st of March 2016, the American College of Pediatricians urges educators and legislators to reject all policies that condition children to accept as normal a life of chemical and surgical impersonation of the opposite sex. Facts - not ideology - determine reality.



Gender isn't a matter of self-determination, the American College of Pediatricians (ACP) is arguing, and they say suggesting otherwise can harm kids for life. This means that the ACP does not accept the recently promoted idea of the existence of transgender (LGBT) children or youths, in contrary to claims by radical gay-lib and senators of the Democratic Party, including Obama, who battle for the recognition of "LGBT rights" for children and adolescents. As far as psychotherapy is concerned, this political party is campaigning against all psychotherapists who do not unconditionally accept "transgender children and youths being themselves" and therefore undergoing surgery and hormone injections before age 21.

According to the Family Research Council (click [here](#)): "this isn't about helping children 'find themselves' or accepting them for who they are, it's about glamorizing a disorder with life-long consequences. When legislatures or educators indulge and even encourage this confusion, ACP warns, it's child abuse. In a strong response to the transgender ideology marching across America, U.S. pediatricians are urging a complete and total rejection of these so-called "non-discrimination" bills. "Conditioning children into believing a lifetime of chemical and surgical impersonation of the opposite sex is normal and healthful is child abuse," they write in a statement released yesterday. In an eight-point dismantling of the transgender-movement, they remind Americans that gender confusion is a "mental disorder" — a fact, ACP points out, that has never been disproven.

"When an otherwise healthy biological boy believes he is a girl, or an otherwise healthy biological girl believes she is a boy, an objective psychological problem exists that lies in the mind not the body, and it should be treated as such," they write. No one, the pediatricians explain, "is born with a gender. Everyone is born with a biological sex. Gender (an awareness and sense of oneself as male or female) is a sociological and psychological concept; not an objective biological one. People who identify as 'feeling like the opposite sex' or 'somewhere in between' do not comprise a third sex. They remain biological men or biological women." For the vast majority of students, this kind of sexual expression is just a phase. "According to the DSM-V, as many as 98% of gender confused boys and 88% of gender confused girls eventually accept their biological sex after naturally passing through puberty."

The paediatricians emphasize the risks of cancer being induced by the hormones. From the

field of psychiatry we can also add the fact that abnormal hormone levels always induce depression and the increased risk of suicide. Suicide rates of youths “being themselves, who they truly are (Obama)” with receiving unnatural artificial sex hormones, are extremely high, 50% or more, a fact that most Democratic Party members do not take into consideration, due to their allegiance with radical gay-lib ideology.

The American College of Paediatricians issued the following statement (click [here](#)):

1. Human sexuality is an objective biological binary trait: “XY” and “XX” are genetic markers of health – not genetic markers of a disorder. The norm for human design is to be conceived either male or female. Human sexuality is binary by design with the obvious purpose being the reproduction and flourishing of our species. This principle is self-evident. The exceedingly rare disorders of sex development (DSDs), including but not limited to testicular feminization and congenital adrenal hyperplasia, are all medically identifiable deviations from the sexual binary norm, and are rightly recognized as disorders of human design. Individuals with DSDs do not constitute a third sex.¹
2. No one is born with a gender. Everyone is born with a biological sex. Gender (an awareness and sense of oneself as male or female) is a sociological and psychological concept; not an objective biological one. No one is born with an awareness of themselves as male or female; this awareness develops over time and, like all developmental processes, may be derailed by a child’s subjective perceptions, relationships, and adverse experiences from infancy forward. People who identify as “feeling like the opposite sex” or “somewhere in between” do not comprise a third sex. They remain biological men or biological women.^{2,3,4}
3. A person’s belief that he or she is something they are not is, at best, a sign of confused thinking. When an otherwise healthy biological boy believes he is a girl, or an otherwise healthy biological girl believes she is a boy, an objective psychological problem exists that lies in the mind not the body, and it should be treated as such. These children suffer from gender dysphoria. Gender dysphoria (GD), formerly listed as Gender Identity Disorder (GID), is a recognized mental disorder in the most recent edition of the Diagnostic and Statistical Manual of the American Psychiatric Association (DSM-V).⁵ The psychodynamic and social learning theories of GD/GID have never been disproved.^{2,4,5}
4. Puberty is not a disease and puberty-blocking hormones can be dangerous. Reversible or not, puberty- blocking hormones induce a state of disease – the absence of puberty – and inhibit growth and fertility in a previously biologically healthy child.⁶
5. According to the DSM-V, as many as 98% of gender confused boys and 88% of gender confused girls eventually accept their biological sex after naturally passing through puberty.⁵

6. Children who use puberty blockers to impersonate the opposite sex will require cross-sex hormones in late adolescence. Cross-sex hormones (testosterone and estrogen) are associated with dangerous health risks including but not limited to high blood pressure, blood clots, stroke and cancer.^{7,8,9,10}

7. Rates of suicide are twenty times greater among adults who use cross-sex hormones and undergo sex reassignment surgery, even in Sweden which is among the most LGBTQ - affirming countries.¹¹ What compassionate and reasonable person would condemn young children to this fate knowing that after puberty as many as 88% of girls and 98% of boys will eventually accept reality and achieve a state of mental and physical health?

8. Conditioning children into believing a lifetime of chemical and surgical impersonation of the opposite sex is normal and healthful is child abuse. Endorsing gender discordance as normal via public education and legal policies will confuse children and parents, leading more children to present to “gender clinics” where they will be given puberty-blocking drugs. This, in turn, virtually ensures that they will “choose” a lifetime of carcinogenic and otherwise toxic cross-sex hormones, and likely consider unnecessary surgical mutilation of their healthy body parts as young adults.

Michelle A. Cretella, M.D.

President of the American College of Pediatricians

Quentin Van Meter, M.D.

Vice President of the American College of Pediatricians

Pediatric Endocrinologist

Paul McHugh, M.D.

University Distinguished Service Professor of Psychiatry at Johns Hopkins Medical School and the former psychiatrist in chief at Johns Hopkins Hospital



References:

1. Consortium on the Management of Disorders of Sex Development, “Clinical Guidelines for the Management of Disorders of Sex Development in Childhood.” Intersex Society of North America, March 25, 2006. Accessed 3/20/16 from <http://www.dsdguidelines.org/files/clinical.pdf>.

2. Zucker, Kenneth J. and Bradley Susan J. “Gender Identity and Psychosexual Disorders.” *FOCUS: The Journal of Lifelong Learning in Psychiatry*. Vol. III, No. 4, Fall 2005 (598-617).

3. Whitehead, Neil W. "Is Transsexuality biologically determined?" *Triple Helix* (UK), Autumn 2000, p6-8. accessed 3/20/16 from <http://www.mygenes.co.nz/transsexuality.htm>; see also Whitehead, Neil W. "Twin Studies of Transsexuals [Reveals Discordance]" accessed 3/20/16 from http://www.mygenes.co.nz/transs_stats.htm.
4. Jeffreys, Sheila. *Gender Hurts: A Feminist Analysis of the Politics of Transgenderism*. Routledge, New York, 2014 (pp.1-35).
5. American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition*, Arlington, VA, American Psychiatric Association, 2013 (451-459). See page 455 re: rates of persistence of gender dysphoria.
6. Hembree, WC, et al. Endocrine treatment of transsexual persons: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2009;94:3132-3154.
7. Olson-Kennedy, J and Forcier, M. "Overview of the management of gender nonconformity in children and adolescents." UpToDate November 4, 2015. Accessed 3.20.16 from www.uptodate.com.
8. Moore, E., Wisniewski, & Dobs, A. "Endocrine treatment of transsexual people: A review of treatment regimens, outcomes, and adverse effects." *The Journal of Endocrinology & Metabolism*, 2003; 88(9), pp3467-3473.
9. FDA Drug Safety Communication issued for Testosterone products accessed 3.20.16: <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm161874.htm>.
10. World Health Organization Classification of Estrogen as a Class I Carcinogen: http://www.who.int/reproductivehealth/topics/ageing/cocs_hrt_statement.pdf.
11. Dhejne, C, et.al. "Long-Term Follow-Up of Transsexual Persons Undergoing Sex Reassignment Surgery: Cohort Study in Sweden." *PLoS ONE*, 2011; 6(2). Affiliation: Department of Clinical Neuroscience, Division of Psychiatry, Karolinska Institutet, Stockholm, Sweden. Accessed 3.20.16 from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0016885>.

